




ADAMA

Turf Product Portfolio

Featuring

QUALI-PRO[®]


 Insecticides	African Black Beetle	Ants	Argentine Stem Weevil	Billbug (La Plata Weevil)	Blackheaded Pasture Cockchafer	Lawn Armyworm	Mole Crickets	Sod Webworm	
QUALI-PRO® TWISTER™ novaluron 80g/L indoxacarb 320g/L	▲		▲	▲					
STRIKE OUT® chlorpyrifos 500g/L	▲	▲	▲		▲	▲	▲	▲	
VENOM PROFESSIONAL bifenthrin 100g/L	▲	▲	▲	▲		▲		▲	
VENOM PRO 240 bifenthrin 240g/L	▲	▲	▲	▲		▲		▲	
WARDEN* fipronil 100g/L		▲	▲				▲		

 Fungicides	Anthracnose	Bipolaris	Brown Patch	Curvularia	Dollar Spot	Drechslera	ERI	Fairy Ring	Fusarium	
BUMPER® 625 EC propiconazole 625 g/L					▲					
CAPTAN® 800 WG captan 800 g/kg			▲							
CAVALRY® WEATHERGUARD chlorothalonil 720 g/L			▲		▲					
CHIEF® TOPFLO iprodione 625g/L		▲	▲	▲	▲	▲			▲	
CITADEL® FUNGICIDE triadimenol 250 g/L		▲			▲	▲	▲		▲	
MAGELLAN fosetyl al 800 g/kg										
PATRIOT trifloxystrobin 100 g/L + tebuconazole 200 g/L	▲	▲	▲	▲	▲	▲	▲		▲	
QUALI-PRO® COMPASS® fluazinam 500 g/L	▲	▲			▲	▲				
QUALI-PRO® ENCLAVE® chlorothalonil 365 g/L iprodione 119 g/L thiophanate methyl 119 g/L tebuconazole 36 g/L	▲	▲	▲		▲	▲			▲	
QUALI-PRO® EVOLUTION® azoxystrobin 120 g/L + tebuconazole 200 g/L	▲	▲	▲		▲	▲		▲	▲	
QUALI-PRO® I-PRO 365 iprodione 365 g/L		▲	▲		▲	▲			▲	
TRIUMPH metalaxyl-m 240 g/L										

More Information (Labels & xSDS): <https://www.adama.com/australia/en/products/professional-and-consumer>

Rate	MOA Group
3L/ha	15 22A
700 mL – 6 L/Ha	1B
1.2–4.4 L/Ha in a minimum of 200 L/Ha of water	3A
500 mL - 1.8L/Ha	3A
300–750 mL/Ha	2B


Grey Leaf Spot	Leptosphaerulina	Pythium	Spring Dead Spot	Take All Patch	Rate	MOA Group
			▲		12–24 mL/100 m ² in 10–20 L of water	3
					100–150 g in 25–50 L of water per 100 m ²	M4
▲					130–240 mL/100 m ² in 20–60 L of water	M5
			▲		36–72ml/10 to 150L water/100 m ²	2
				▲	30 to 60 mL/100 m ²	3
		▲			125g/100 m ²	33
	▲		▲		20–30 mL/8–16 L of water per 100 m ²	11 3
▲					10–15 mL/4–8 L of water per 100 m ²	29
▲			▲		160 - 240 mL per 100 m ²	M5 2 1 3
					20–40 mL/4–8 L of water per 100 m ²	11 3
					65–120 mL/4–150 L of water per 100 m ²	2
		▲			17–35 mL/100 m ²	4

 Herbicides	Bindii	Bathurst Burr	Cats Ear	Capeweed	Chickweed	Cobbler's Peg	Cotula	Cudweed	Crowsfoot/ Crabgrass	Dandelion	Docks	Fat Hen	Fleabane	Jo-Jo
2,4-D AMINE 625 2,4-D 625 g/L		▲		▲							▲	▲		
3D bentazone 192 g/L + MCPA 112 g/L + dicamba 19 g/L	▲				▲			▲		▲	▲		▲	
BRONCO 400 bromoxynil 400g/L	▲							▲						▲
BRONCO MA-X bromoxynil 280g/L + MCPA 280g/L	▲		▲	▲				▲		▲			▲	▲
CUTLASS® dicamba 500 g/L	▲		▲	▲	▲		▲	▲		▲	▲	▲	▲	
CUTLASS® M MCPA 340 g/L + dicamba 80 g/L	▲		▲	▲	▲		▲			▲	▲	▲		
ELEVATE® carfentrazone 400 g/L														
FAIRWAY MCPA 280 g/L + bromoxynil 140 g/L + dicamba 40 g/L	▲		▲					▲		▲			▲	
GAUNTLET MSMA 720 g/L									▲					
MATRIX® 500 ethofumesate 500 g/L														
MCPA 750 MCPA 750 g/L		▲		▲						▲	▲	▲		
QUALI-PRO® CREST™ fluroxypyr 100 g/L + florasulam 2.5 g/L	▲	▲												
QUALI-PRO® NEGATE® rimsulfuron 167g/kg + metsulfuron-methyl 200g/kg	▲	▲	▲	▲	▲		▲	▲		▲	▲	▲	▲	
QUALI-PRO® NUTMEG™ bentazone 480g/L					▲	▲				▲	▲	▲		
QUINSTAR 200SC quinclorac 200g/L														
REVERE propyzamide 500 g/L														
STADIUM clopyralid 20 g/L + diflufenican 15 g/L + MCPA 300 g/L	▲		▲	▲				▲						

More Information (Labels & xSDS): <https://www.adama.com/australia/en/products/professional-and-consumer>

	Khaki Weed	Mallows	Medics	Mullumbimby Couch	Noogoora Burr	Nutgrass	Oxalis	Paspalum	Pearlwort	Pennywort	Pigweed	Plantain	Shepherd's Purse	Summergrass	Thistles	White Clover	Wild Turnip	Wintergrass	Wireweed
	▲				▲								▲			▲	▲		▲
							▲					▲				▲			
												▲				▲			
		▲	▲				▲		▲	▲		▲			▲	▲	▲		
		▲	▲				▲		▲	▲		▲			▲	▲	▲		▲
		▲																	
							▲					▲			▲				
								▲						▲					▲
					▲							▲	▲		▲		▲		
		▲			▲						▲					▲			
	▲	▲	▲		▲		▲	▲	▲	▲		▲	▲		▲	▲	▲	▲	▲
				▲	▲	▲	▲			▲		▲	▲		▲				
														▲					▲
																		▲	
							▲					▲				▲			

	Product	Label Rate Range	Mode of Action Group
 Herbicides	2,4-D AMINE 625	1.6 – 3.2 L/Ha	4
	3D	6 – 20 L/Ha	5,4
	BRONCO 400	3L/500L water per hectare	5
	BRONCO® MA-X	4.3 L in 500 L water per hectare	5,4
	CUTLASS®	1.2 L/Ha + 4 L/Ha of 2,4-D Amine	4
	CUTLASS® M	Turf: Large Areas: 6.5 L in 240 – 400 L/Ha Golf Greens: 100 mL in 15 L of water per 150 m ² Bowling Greens: 900 mL in 200 L of water per 1400 m ²	4
	ELEVATE®	15 – 45 mL/Ha + recommended rates of 2,4-D	14
	FAIRWAY	4 – 5 L/Ha	5,4
	GAUNTLET	3.3 – 6.6 L/Ha	0
	MATRIX® 500	800 mL in 400 – 600 L of water/Ha	15
	MCPA 750	330 mL – 1.8 L/Ha	4
	QUINSTAR	4.1L in 400L water per hectare	1
	QUALI-PRO® CREST™	1-2L in 80-100L water per hectare	2,4
	QUALI-PRO® NEGATE®	110g/ha in 200-500L water per hectare	2
	QUALI-PRO® NUTMEG™	2-4L/ha	5
REVERE	600ml - 1.2L/ha followed immediately with 12-24mm irrigation or rain	3	
STADIUM	5 L/Ha in 200 – 500 L of water per hectare	12,4	

	Product	Purpose	Rate
 Other	DI-BAK G glyphosate 700g/kg INJECTA GUN	Woody Weed Injectable Herbicide Di-Bak G Injection tool	1 tablet per 10cm of woody weed circumference
	FOURSOME TURF PIGMENT	Turf Pigment	1.1-1.5 L per hectare. Suggested initial rate is 1.2 L/Ha
	MARVEL® 175EC trinexapac ethyl 175 g/L	Plant Growth Regulator	Golf course fairways: 4 - 27ml/100m ² Roughs, well maintained lawns and parks: 7 - 41ml/100m ² Bunker facing, path edging, fencelines: 3 - 55ml/100m ² Poa management in fairways: 3 - 7ml/100m ²
	QUALI-PRO® MARVEL® ULTRA 120ME trinexapac ethyl 120 g/L	Plant Growth Regulator	Golf course greens: 4 - 20ml/100m ² Golf course fairways: 6 - 30ml/100m ² Roughs, well maintained lawns and parks: 10 - 80ml/100m ² Bunker facing, path edging, fencelines: 40 - 80ml/100m ²

More Information (Labels & xSDS): <https://www.adama.com/australia/en/products/professional-and-consumer>



Correct Mixing Order

Step 1	Fill the spray tank to at least 70% full with suitable water Commence agitation	
Step 2	Add any Water Conditioners e.g. Ammonium Sulphate	
Step 3	Add any Wettable Powders (WP)	
Step 4	Add any Water Dispersible Granules (WG) products e.g. Captan® WG, Magellan®	
Step 5	Add any Oil Dispersion (OD) formulations	
Step 6	Ensure fully dispersed before proceeding	
Step 7	Add any Flowable Liquids (FL) or Suspension Concentrate (SC) products e.g. Bronco 400, Cavalry® Weathergard, Chief® Topflo, Quali-Pro® Twister™, Quali-Pro® Evolution®, Quali-Pro® Compass®, Patriot®	
Step 8	Add any Emulsifiable Concentrate (EC) products e.g. Marvel® 175, Bumper® 625, Citadel®, Bronco® MA-X,	
Step 9	Add any Emulsion Oil in Water (EW) or Suspension Emulsion (SE) formulations e.g. Quali-Pro® I-pro® 365, Quali-Pro® Crest™	
Step 10	Fill the mixing tank to nearly full	
Step 11	Add any Soluble Liquids (SL) e.g. Quali-Pro® Nutmeg™	
Step 12	Add other Adjuvants and fill the tank	
	Add any oils last in all mixtures	

More Information

® Registered trademarks of an Adama Agricultural Solutions Ltd Company.

* Registered Trademarks

Please note: This information is not intended to replace the product labels. Always read the complete product label appearing on the container before opening or using products. Product labels also available on adama.com

Last Updated: May 2023

QUALI-PRO



Hong Kong | Singapore | Malaysia | Australia

Email: info@centaur-asiapacific.com

Website: www.centaur-asiapacific.com

