

**KEEP OUT OF REACH OF CHILDREN**

**intec**  
**FREEZONE**  
**GRANULAR**

**SOIL RECOVERY SYSTEM**

**Freezone Granular is a proprietary blend of chelated, buffered acids designed to manage hard water and highly alkaline soils. The product Aggressively lowers pH and bicarbonate levels while unlocking insoluble deposits.**

- ✓ Lowers soil pH
- ✓ Reduces bicarbonates and sodium
- ✓ Improves nutrient availability
- ✓ Enhances water infiltration and promotes root growth
- ✓ Safe to the touch and non-corrosive to equipment

**Active Ingredient: Blend of organic acids – 1.5%**

**NET CONTENTS: 20kg, 50 bags per pallet**

Indigo Specialty Products Pty Ltd

ABN 15 631 459 660

3/49 Donaldson Road, Rocklea, Qld, 4106

T: 0402 735 887

[www.indigospecialty.com.au](http://www.indigospecialty.com.au)

Batch No.:

Manufacturing Date:

H.S.Code:

Distributed by

 **CENTAUR**  
ASIA PACIFIC  
[www.centaur-asiapacific.com](http://www.centaur-asiapacific.com)  
[info@centaur-asiapacific.com](mailto:info@centaur-asiapacific.com)

## DIRECTIONS FOR USE

Precautionary Statement: Before using this product read the entire Precautionary Statements, Directions for Use, Storage and Disposal Instructions.

Situation	Application Method	Application Rate	Comments
Turfgrass Landscapes Horticulture	Topdressing	1.2kg – 7.0kg per 100m <sup>2</sup> .  120kg – 700kg per hectare (10,000m <sup>2</sup> )	Use the highest rate (7.0kg/100m <sup>2</sup> ) for extreme bicarbonate concentrations in the irrigation water of greater than 400ppm (mg/L).  Use the lowest rate (1.2kg/100m <sup>2</sup> ) for moderate bicarbonate concentrations in the irrigation water of greater than 150ppm (mg/L).  Use the median rate (3.5kg/100m <sup>2</sup> ) for elevated bicarbonate concentrations in the irrigation water of greater than 250ppm (mg/L)  Apply fortnightly for the first month and then monthly thereafter.  Water immediately after application. Do not apply if the product isn't under irrigation. Irrigate to field capacity to maximize bicarbonate and salt flushing.
	Aeration Incorporation	Blend with sand to attain 100kg of Freezone Granular per 100m <sup>2</sup> .	Incorporate mixture into the soil by infill after aeration or injection through the DryJect System. Follow your standard irrigation program after incorporation. Begin monitoring soil pH and bicarbonate levels after six weeks to determine when additional treatments are required.

## FIRST AID MEASURES IN CASE OF CONTACT

- Eye Contact: DO NOT RUB EYES. Immediately flush eyes with large amounts of water for 15 minutes lifting the lower and upper lids. Seek medical attention if necessary.
- Skin Contact: Remove contaminated clothing and immediately wash affected area with large amounts of water for at least 5 minutes. If irritation or redness persists, seek medical attention as needed.
- If Swallowed: Give large amounts of water to drink. Seek medical attention if necessary. Induce vomiting only upon advice from a physician.

- Inhalation: Move individual to fresh air and check to assure adequate respiration. Seek medical attention if necessary.

#### **STORAGE AND DISPOSAL**

- Prohibitions: Do not contaminate water, food or feed by storage, disposal or cleaning of equipment.
- Storage: Store in original container only and keep sealed. Store in closed storage area. Use caution when moving. Do not store below 70°C.

#### **CONDITIONS OF SALE:**

ISP shall not be liable for any loss, injury, damage or death, whether consequential or otherwise whatsoever or howsoever arising whether through negligence or otherwise in connection with the sale, supply, use or application of this product. The supply of this product is on the express condition that the purchaser does not rely on ISP's skill or judgement in purchasing or using the same and every person dealing with this product does so at his own risk absolutely. No representative of ISP has any authority to add to or alter these conditions.